The following listing of claims will replace all prior versions, and listing of claims

in the application:

**Listing of Claims:** 

1. (Currently Amended) A tri-leaflet heart valve comprising:

an annular valve base with an inner surface defining a central orifice

through which a blood flow moves from an upstream side to a downstream side;

three protruding hinges formed on the inner surface of the annular valve

base and equally spaced along the inner surface of the annular valve base, each hinge

comprising a convex downstream face connected to a convex upstream face by a curved

ridge and a pair of concave sockets on opposite sides of the hinge; and

three leaflets arranged between adjacent hinges, each leaflet having an

arcuate contour and being provided with a pair of round pivots respectively mounted

inside the concave sockets of the hinges and thus allowing, each of leaflets to rotate

freely being respectively suspended between a corresponding pair of concave sockets

and being freely rotatable within the annular valve base;

Page 2 of 9

Serial Number: 10/629,702

Response to Office Action Dated 11 August 2004

when the leaflets are subject to a positive pressure from the blood flow, the

leaflets are fully opened to allow the blood to flow through the central orifice, and when

the leaflets are subject to a negative pressure, the leaflets are closed to occlude the blood

flow.

2. (Currently Amended): The tri-leaflet heart valve as claimed in Claim 1,

wherein each leaflet is a fan-shaped plate with a curved configuration forming a

eontinuous and smooth solid outer surface and a smooth inner surface, each with no

being devoid of sharp projections; a downstream apex; a bottom edge and side edges

where the notches and round pivots a curved notch, a stop edge and the round pivot are

formed between each side edge and the bottom edge.

3. (Currently Amended): The tri-leaflet heart valve as claimed in Claim 2,

wherein the fan-shaped leaflet has a the downstream apex from which the two side edges

extend, and where the side edges of adjacent leaflets tightly seal with each other when

the leaflets close.

MR2863-125

Serial Number: 10/629,702

Response to Office Action Dated 11 August 2004

4. (Currently Amended): The tri-leaflet heart valve as claimed in Claim 2,

wherein the fan-shaped leaflet has a the bottom edge forming a tight seal with the a

corresponding upstream recess on the inner surface of the annular valve base when the

leaflets are closed.

5. (Currently Amended): The tri-leaflet heart valve as claimed in Claim 2,

wherein the a downstream surface of the protruding hinge inner surface of the annular

valve base is configured to stop the rotation of the leaflet when the leaflet is opened, and

maintain it at a predetermined angle and form a seal between the smooth outer surface of

the leaflet and the downstream surface of the inner surface of the annular valve base.

6. (Original): The tri-leaflet heart valve as claimed in Claim 2, wherein the

ridge of the protruding hinge is configured so that, when the leaflet is closed, the ridge

forms a tight seal with the notches of the leaflet.